Lake Louise Consensus Scoring Syst	tem for	Acute Mo	untain Sicl	kness (AMS	6) in Adults	. Self asses	ssment requ	ired, othe	r parts optional.
E	Date								Name:
Sleeping altit									•
Maximum altit									
Self-Assessment. Score yourself for the S1. Headache	e five syr	nptoms lis	ted below.	Remember	that fatigue	e will be exp	ected after e	xercise.	
(0) None at all									•
(1) Mild headache									
(2) Moderate headache(3) Severe, incapacitating headache)								
S2. Gastrointestinal (0) Good appetite									
(1) Poor appetite and/or nausea									
(2) Moderate nausea and/or vomiting	g								
(3) Severe, incapacitating nausea/vomiting									
· ·									
S3. Fatigue and/or weakness (0) Not tired or weak									•
(1) Mild fatigue/weakness									
(2) Moderate fatigue/weakness									
(3) Severe fatigue/weakness									
S4. Dizziness or light-headedness									
(0) None (1) Mild									
(2) Moderate									
(3) Severe, incapacitating									
S5. Difficulty sleeping									
(0) Slept as well as usual									•
(1) Did not sleep as well as usual(2) Woke many times, poor night's									
sleep									
(3) Could not sleep at all									
Total Self-Assessment Score (S)=]
Clinical Assessment. These questions a	re answ	ered by a	physician c	or other exa	miner. Clarit	fications at	right are for ι	ıntrained e	examiners.
C1. Change in mental status									•
(0) No change (1) Lethargy/lassitude									Inability to motivate to
(3) Stupor/semi-consciousness									perform appropriate tasks
(4) Coma									
C2. Ataxia (heel/toe walking)									Draw a line 6-10 ft long on
(0) None									safe, flat ground
(1) Balance maneuvers(2) Steps off the line									Using arms and body movement to maintain
(3) Falls down									balance
(4) Unable to stand									
C3. Peripheral edema								-	Swelling of the extremities
(0) None (1) One location									(e.g., ankles) or around the eyes
(2) Two or more locations									the eyes
Total Clinical Score (6	C)=]
Functional Score. Rate yourself:		_	_	_					
	F)=								
(0) None	-								•
(1) Mild reduction(2) Moderate reduction									
(3) Severe reduction; bed rest									

You have AMS if you have a headache and:

- Your total self-assessment score (S) is 3 or higher, OR
- The sum of your total self-assessment score and your total clinical assessment score (S+C) is 5 or higher, OR
- The sum of all scores (S+C+F) is 6 or higher.